Comprehensive Adolescent Severity Inventory (CASI)

BRIEF DESCRIPTION

The CASI is a comprehensive, semi-structured, clinical assessment and outcomes interview. It is comprised of 10 independent modules, each incorporating objective, focused, and concrete questions. Modules include health, family, stressful life events, legal status, sexual behavior, AOD use, mental health functioning, peer relationships, education, and use of free time. Questions are formatted to identify whether certain behaviors have ever occurred regularly, how old the adolescent was when they first occurred regularly, and whether they occurred regularly during the past year (past month and other 11 months). Each module assesses whether the adolescent acknowledges the presence of problems and obtains his/her rating of discomfort. The CASI also includes questions designed to assess the strength-base of the youth

regularly, and whether they occurred regularly during the past year (past of the youth. ☐ Adults TARGET POPULATION ⊠ Adolescents (over 16 years) Groups for which this instrument might be especially helpful? Adolescents suspected of AOD involvement and related problems **ADMINISTRATIVE ISSUES** Number of items: Depends Number of subscales: 10 modules Format(s): Pencil-and-paper self-administered **Interview Interview** Observation ☐ Computer self-administered ☑ Other (describe) Computer administered by interviewer Time required for administration: 45 to 90 minutes Administered by: Professional Training required for administration? \boxtimes yes \square no

Comments: 2-day training

SCORING	Time required to score/interpret: 15 minutes
	Scored by: Administrator
	Scoring key? ⊠ yes □ no
	Computerized scoring or interpretation available? \square yes \boxtimes no
	Norms available? ⊠ yes □ no
	Instrument normed on subgroups? \boxtimes yes \square no
	Which groups? By age, gender, and ethnicity
PSYCHOMETRICS	Have reliability studies been done? ⊠ yes □ no
	What measure(s) of reliability was used?
	☐ Split half
	⊠ Internal consistency
	Have validity studies been done? \boxtimes yes \square no
	What measures of validity have been derived?
	⊠ Content
	⊠ Criterion (predictive, concurrent, "postdictive")
	⊠ Construct
CLINICAL UTILITY OF INSTRUMENT	Assess substance use, substance abuse and dependence symptoms, and related problems. Assists with referral and treatment decisions.
RESEARCH APPLICABILITY	Problem identification and for monitoring treatment outcome.
SOURCE, COST AND COPYRIGHT ISSUES	Copyright: ⊠ yes □ no
	Cost: Pencil-and-paper version is free of charge, but the 2-day training session is \$2,000; contact System Measures for the cost of the computer program.
	Source: System Measures, Inc.
	P.O. Box 506
	Spring Mount, PA 19478 Phone: 610-287-2786
	E-mail: meyershagan@erols.com

SOURCE REFERENCE

Meyers, K., McLellan, A.T., Jaeger, J.L. & Pettinati, H.M. (1995). The development of the Comprehensive Addiction Severity Index for Adolescents (CASI-A): An interview for assessing the multiple problems of adolescents. *Journal of Substance Abuse Treatment*, *12*, 181-193.

SUPPORTING REFERENCES

Meyers, K., Hagan, T.A., Zanis, D., Webb, A., Frantz, J., Ring-Kurtz, S., Rutherford, M. & McLellan, A.T. (1999). Critical issues in adolescent substance abuse assessment. Drug and Alcohol Dependence.

Riggs, P.D., Mikulich, S. K., Whitmore, E.A. & Crowley, T.J. (1999). Relationship of ADHD, depression, and non-tobacco substance use disorders to nicotine dependence in substance-dependent delinquents. *Drug and Alcohol Dependence*, 54, 195-205.